



RATE NOTIFICATION

**PROCUREMENT OF GOODS FOR TEACHING / TERTIARY CARE
HOSPITALS / PUNJAB MEDICAL FACULTY / NURSING COLLEGES /
SCHOOLS / HOSTELS ETC.**

No. SO (P-II)H/1-18/2023-24(A). Consequent to the bidding process for Procurement of goods for Teaching / Tertiary Care Hospitals / Punjab Medical Faculty / Nursing Colleges / Schools / Hostels etc by the Procurement Wing under Punjab Procurement Rules 2014 and subsequent approval by the Procurement Committee of Specialized Healthcare and Medical Education (SHC&ME) Department, the rates of below mentioned items offered by the Lowest Evaluated/Successful Bidders are hereby notified for One Year from the date of issuance of this notification as per following details;

Sr. No.	NAME OF FIRM	DESCRIPTION OF PRODUCT	ADVERTISED MAXIMUM QUANTITY	APPROVED UNIT RATE (IN PKR)
1.	M/s Haier Pakistan Pvt. Ltd. 4-B, Q Block, Old College Road, M.M. Alam Road Extension, Gulberg-II, Lahore	LED Screen Android 40" Screen Size: 40-inch Product Type: LED HD OS: Android OS Resolutions: 1920 x 1080 Storage: 8Gb Ram: 1GB Ports: 3 HDMI, Ethernet, 3.2mm Audio, AV Composite, 2 USB Power Supply: AC 100V-240V 50/60Hz Warranty: 1 Year local Note: Firm will be responsible for installation. Model: H40K66FG Make: Haier	44	64,800
2.	M/s Haier Pakistan Pvt. Ltd. 4-B, Q Block, Old College Road, M.M. Alam Road Extension, Gulberg-II, Lahore	LED Screen Android 55" Screen Size: 55-inch Product Type: 4K UHD TV CPU: Multi-Core/Quad Core GPU: Multi-Core/ Quad Core Storage: 32Gb RAM: 2GB OS Android / Google TV Ports: 3 HDMI, Ethernet, Headphone audio, Input Composite, 2 USB Power Supply: AC 100V-240V 50/60Hz Warranty: 1 Year local Note: Firm will be responsible for installation. Model: H55K800 Make: Haier	600	122,900

Sr. No.	NAME OF FIRM	DESCRIPTION OF PRODUCT	ADVERTISED MAXIMUM QUANTITY	APPROVED UNIT RATE (IN PKR)
3.	M/s Computer Tips 320, 3rd Floor, Eden Centre, Jail Road, Lahore	Mic / Speaker for Teaching Aid Wireless Teaching Audio Loudspeaker with Microphone. 2 Speaker 30 watts Built-in 4x10W digital amplifier, high efficiency. Better sound effect. Support blue-tooth for wireless transmission. Support Infrared remote controller. Easy to operate. Wireless Microphone with table stand for holding microphone (Rechargeable Battery). Wireless Collar Microphone (Quote Separately). Model: Mehfil MH-1212 Make: Audionic	123	69,620 Additional : Wireless Mic for PKR 14,750/-
4.	M/s Saad Traders Saad Residency, Commercial Market Officers Town, Near BZU Agricultural Gate, Multan	Multimedia Projector with Screen Display technology DLP™ or Higher Resolution XGA (1024x768) or Higher Brightness 4,000 lumens or Higher Native aspect ratio 4:3 / 16:9 Projection distance (m) 1m - 12m or Higher Screen: 8 x 6 Portable Manual Screen or Higher Warranty: One-year comprehensive on-site replacement warranty with parts & labour from the date of delivery / installation & Technical Support by bidder in all aspects Note: The bidder must be authorized distributor / dealer / reseller for the quoted brand. Model: X1226 AH, Optiview Make: Acer, Taiwan	65	155,712
5.	M/s Saad Traders Saad Residency, Commercial Market Officers Town, Near BZU Agricultural Gate, Multan	Printer Print speed in ppm: letter A/4: 30 or higher. Duplex printing: Automatic Resolution: Up to 1200 x 1200 dpi or higher. Print Technology: Laser. Paper input: 1 Main Tray having capacity of 250 sheets or higher and 150-sheet output tray. Connectivity: USB 2.0, Gigabit Ethernet, WiFi 5Ghz or Higher. Supported Media Sizes: A4, A5, Letter, Oficio. Voltage Input: 220-240 V. Quoted Brand must be US, Europe, Japan Only Note: 1-year comprehensive warranty including parts and labor for all components on site. Spare Parts should be freely available in market. Model: Laserjet Pro 4003 dw Make: HP	80	103,723
6.	M/s Computer Tips 320, 3rd Floor, Eden Centre, Jail Road, Lahore	Sound System for Conference Room (11 Mic) Audio System Control Unit (Qty 01) • Frequency response: 30 Hz to 20 kHz • THD: Recording/ Playback (bit rate): 64, 96, 128, 256 Kbit/sec	44	2,121,640

Sr. No.	NAME OF FIRM	DESCRIPTION OF PRODUCT	ADVERTISED MAXIMUM QUANTITY	APPROVED UNIT RATE (IN PKR)
		<ul style="list-style-type: none"> •Recording/ Playback (sample frequency): 44.1 kHz •Nominal output: 72 dB SPL • Frequency response: 200 Hz to 16 kHz (acoustical) •Gain range: Mute -10.5 to +12 dB • Internal memory: 16GB or Higher (Upgradable to 128GB) Chairman Unit (Qty:01) •Priority button Available/Yes •Power consumption 1.3 W • Frequency response: 30 Hz to 20 kHz (System electrical) Sampling rate: 44.1 kHz • Headphones load impedance: > 32 ohms < 1k ohm Loudspeaker max. peak output power: 4 W • Microphone polar pattern: Cardioid • Microphone nominal input: 85 dB SPL • Participants microphone frequency response: 125 Hz to 15 kHz Microphone (Qty: 10) •Power consumption 1.3 W • Frequency response: 30 Hz to 20 kHz (System electrical) Sampling rate: 44.1 kHz • Headphones load impedance: > 32 ohms < 1k ohm Loudspeaker max. peak output power: 4 W • Microphone polar pattern: Cardioid • Microphone nominal input: 85 dB SPL • Participants microphone frequency response: 125 Hz to 15 kHz Loud speaker (Qty: 02) • Maximum power: 30W •Rated power (PHC): 20 W •Power tapping: 20 / 10 / 5 / 2.5 W • Sound pressure level at rated power / 1 W (1 kHz, 1 m): 105 / 92 dB (SPL) • Sound pressure level: 89 / 76 dB (SPL) • Effective frequency: 240 Hz to 16 kHz Amplifier (Qty: 01) • Voltage: 230 VAC ±10%, 50Hz • Inrush current: 10 A • Power consumption: 400 VA • Frequency response: 50 Hz to 20 kHz • Bass Control Max: -12/+12 dB • Treble Control Max: -12/+12 dB • RJ-45 input: 1 x • Mic/Line input: 4 x • Sensitivity: 1 mV (mic); 1 V (line) • Dynamic range: 93 dB • Headroom: >17 dB <p>Model: Audio System Control Unit: CCSD-CURD Chairman Unit: CCSD-DS Microphone: CCSD-DS Loud Speaker: LA1-UM20E-1 Amplifier: PLE-1MA0620-EU Make: Bosch, Germany</p>		

Sr. No.	NAME OF FIRM	DESCRIPTION OF PRODUCT	ADVERTISED MAXIMUM QUANTITY	APPROVED UNIT RATE (IN PKR)
7.	M/s Quality Traders Heavy Industrial Area, Link Road, Ashraf Colony, Bahawalpur	Chair Dimensions: Standard Material: Premium quality faux leatherette upholstery on seat. MS 70 Microns powder coated 16-gauge frame. Fixed metal arms. Elastomeric nylon mesh for backrest. High density quick recovery foam. Design Detail: Upholstered seat and back with metal frame. Color: Black. Warranty: 1 Year	5,000	13,450
8.	M/s SAS Trading Company SE-17-R-4 Ghari Shahu, 21-A, Davis Road, Lahore	Classroom Chair As per TEVTA Model: 0.35 WST Size 450 x 470 x 780mm. Seat Height 450mm. Tablet Size 460 x 220mm. Tablet height 645mm. Seat Size 430 x 450mm (08-Nos wooden strips). Back Size 430 x 170mm(03-Nos bend wooden pieces fixed with 10mm wooden dowels) Chair structure made of mild steel square pipe 20/20mm. Finished with N.C. Silver Paint / Powder coating. 20 x 20mm rubber shoe of good quality fixed in chair legs. Seat + back & writing Tablet made of Pine/Shisham Seasoned wood having 7% to 8% moisture content. Finished with N.C. Lacquer.	20,000	3,300
9.	M/s Madani Traders Shahdra Road, Near Shahdra Chowk, Bahawalpur	Computer Table with Computer Chair Computer Table: As per TEVTA Model: 0.8 New Special-Small Size: 950 x 500 x 760mm Top made of high density chipboard pressed with one side formica and other side veneer. Side panels made of high density chipboard pressed with shisham veneer on both sides. One side One drawer and open box, other side sliding shelf. With back piece. Finished with N.C Lacquer. Computer Chair: As per TEVTA Model: WSC/B-9 with Arms Seat cushioned with 1st quality foam covered with leatherite & back with black mesh. Complete with high quality revolving pedestal. With arms.	1,100	19,200
10.	M/s FAB Healthcare 189-4-D1, Township, Lahore	Conference Room Chair As per TEVTA Model: WSC/B-9 with Arms Seat cushioned with 1st quality foam covered with leatherite & back with black mesh. Complete with high quality revolving pedestal. With arms.	880	11,151
11.	M/s Pakson International Plastic	Executive Chair Dimensions: Standard Material: High quality and ergonomic chair mechanism. Premium quality faux leatherette upholstery on seat and back.	44	25,230


Sr. No.	NAME OF FIRM	DESCRIPTION OF PRODUCT	ADVERTISED MAXIMUM QUANTITY	APPROVED UNIT RATE (IN PKR)
	Industries Pvt. Ltd. 49-A, S.I.E. # 1, G.T. Road, Gujranwala	Heavy duty aluminum base. Pneumatic height adjustment. High density quick recovery foam for seat and back. Design Detail: High back chair with Matt finish leatherette upholstery on seat & back Others: Color options should be available Warranty: 1 Year		
12.	M/s Mardan Traders Baghdada Gujar Garhi Road, Mardan, KPK	Executive Table Set Set consists of; Executive Table: 01 Side Rack: 01 Executive Chair: 01 Visitor Chairs: 02 Specifications are as per Annex-A	600	94,925
13.	M/s Quality Traders Heavy Industrial Area, Link Road, Ashraf Colony, Bahawalpur	Rostrum / Dice Size: 620 x 550 x 1170 mm Structure: Made of high density chipboard (650-700 kg/m ³) pressed with sheesham veneer on both sides. One shelf. Finished with N.C. lacquer	2000	7,386
14.	M/s Hiaro International 83-8A, Race View, Jail Road, Lahore	Sofa Cum Bed Size: Width: 213cm, Height: 80cm, Depth: 91cm. Fabric: Jute Fabric. Color: Gray. Capacity: 3 Seats. Foam: Molty Foam. Legs: Wooden Legs	500	44,992
15.	M/s Care Scientific 13-14 C/A, 1st Floor, Chauburji Centre, Multan Road, Lhaore	Wall Clock Design: Round Size: 18" Model: SR-01844 Make: Chairman	10,000	2,150
16.	M/s Mardan Traders Baghdada Gujar Garhi Road, Mardan, KPK	Wooden Rack for Library As per TEVTA Model: Book Shelves-Single Mod. Special Size: 1200 x 315 x 2000mm. Structure/shelves made of high density chipboard (650-700 Kg/m ³) pressed with shisham veneer on both sides, with five shelves. Sliding glass doors (5mm) with locks. Finished with NC Lacquer	65	26,930
17.	M/s Human Healthcare 61-A, Revenue Society, Lahore	Binocular Compound Microscope Lab LED Binocular Compound Microscope with Double Layer Mechanical Stage and Coaxial Coarse/Fine Focusing Knob. 10x Eyepiece Objectives 10x, 40x and 100x. Warranty: (01) Year comprehensive warranty including Parts and Labor Model: Eco Bino LED Make: Motic, China	100	177,000
18.	M/s Rays Technologies	Centrifuge Machine Speed: 4000-5000 rpm (Adjustable)	44	116,820

Sr. No.	NAME OF FIRM	DESCRIPTION OF PRODUCT	ADVERTISED MAXIMUM QUANTITY	APPROVED UNIT RATE (IN PKR)
	7/I, Block F, Near Main Market, Gulberg-II, Lahore	Working Voltage: 220V/50Hz Capacity: 6 x 15 ml Model: DM 0506 Make: DLab, China		
19.	M/s Medinostic Healthcare Pvt. Ltd B-18, S.I.T.E., Karachi	<p>Human Skeleton The model in resistant synthetic material showing all the anatomical details, structures, fissures, foramina and processes. All bones are manufactured individually and have been carefully assembled. Hands and feet are mounted flexibly on wire. Arms, legs and the skull can be removed easily and partially disassembled. The 5-leg castor-mounted stand provides the model with a consistently good support and allows simple transport from one room to another. Model: 1020171 Make: 3B Scientific, Germany</p> <p>Skeleton, unassembled (bone collection) All bones in the skeleton are represented individually. Excellent casting of the skeleton of an adult male. True to life reproduction of the bone structure with all foramina, fissures and processes. The skull can be dismantled in three parts into roof of skull, base of skull and mandible. Not suitable for self assembly. Supplied in storage carton. • Fetus Skull, • Bony Skull, • Ulna, • Radius, • Ribs, • Humerus, • Femur, • Tibia, • Fibula, • Different types of vertebrae, • Scapula, • Clavicle, • Sternum. Model: 1020157 + 1000057 Make: 3B Scientific, Germany</p> <p>Model of Head and Neck (2 Parts)(Hungary) This model must show all relevant structures of the human head and neck in great detail. The median section of the head and neck should show the important anatomical structures. This model should be delivered on a baseboard for easy display in a classroom. Model: 1021818 Make: 3B Scientific, Germany</p> <p>Skin Skin model for anatomical study. The model is made of polyvinyl chloride (PVC) plastic, which is corrosion resistant, lightweight, and has high strength. Enlarged you can clearly see all the main anatomical structures of the skin model. Model: 1000292 Make: 3B Scientific, Germany</p>	Lot of 44 Sets	147,500,000 / Complete Lot



Sr. No.	NAME OF FIRM	DESCRIPTION OF PRODUCT	ADVERTISED MAXIMUM QUANTITY	APPROVED UNIT RATE (IN PKR)
		<p>Upper Limb The following muscles can be detached in this life-size muscular arm model: Deltoid muscles, Biceps muscle of arm, Triceps muscle of arm, Long palmar muscle with radial flexor muscle of wrist Brachioradialis muscle with radial extensor muscle of wrist. Mounted on base. Model: 1000347 Make: 3B Scientific, Germany</p>		
		<p>Lungs Model separates into 7 different parts. The lungs have two removable lobes to show the internal structures. The heart bisects show the atria, ventricles and valves. The larynx bisects as well and the diaphragm is shown. Model: 1000270 Make: 3B Scientific, Germany</p>		
		<p>Heart The 2x life size 4-part model describes all the main structures of the human heart. The right part is detachable to expose the inner chambers and valves. The left auricle and ventricle wall can be removed to show the atrium, the mitral valve, the ventricle and papillary muscles. Model: 1000268 Make: 3B Scientific, Germany</p>		
		<p>Stomach The oral cavity, the pharynx and the first part of the esophagus are dissected along the medial sagittal plane. Fixed gallbladder. Liver is removable. The removable pancreas and duodenum are dissected. The stomach is removable and can be dismantled into two parts, the duodenum, caecum, part of the small intestine, large intestine and the rectum are open. Model: 1000307 Make: 3B Scientific, Germany</p>		
		<p>Pelvis Models Female Pelvis Model This life size model is median sagittal sectioned and shows the female pelvis in 2 or more parts. Additional to muscles and vessels of the abdomen it depicts particularly the urogenital organs. Removable are one half of the uterus, vagina and bladder as well as one half of bowel with rectum. Model: 1000281 Make: 3B Scientific, Germany</p>		
		<p>Shoulder Girdle The shoulder joint model must be natural casting. It must include external anatomical</p>		

Sr. No.	NAME OF FIRM	DESCRIPTION OF PRODUCT	ADVERTISED MAXIMUM QUANTITY	APPROVED UNIT RATE (IN PKR)
		<p>structures of the shoulder joint. The shoulder joint must include cross-section mounted on the base. It should help in demonstrating the functionality of shoulder.</p> <p>Model: 1000172 Make: 3B Scientific, Germany</p> <p>Male Reproductive Model This life size 2 part model is dissected through the median sagittal plane and provides excellent views of external and internal structures. The removable parts include two halves of the penis, showing medial and transverse sections, and two halves of the male reproductive system with excellent detailing of internal structures Model: 1000282 Make: 3B Scientific, Germany</p> <p>Larynx Model This 5 or more part model is medially sectioned and shows all internal structures, like the hyoid bone, cartilages, ligaments, muscles, vessels, nerves and thyroid gland. Removable parts are on the left side one half of the hyoid bone and the thyroid cartilage as well as a half of the thyroid gland. On the right side the cricothyroid muscle can be removed. Mounted on stand. Model: 1000272 Make: 3B Scientific, Germany</p> <p>Foot Model This life size model of a right human foot is medially opened and shows bones, joints, ligaments, fatty tissue and muscles. The start of lower leg is also represented as cross-section and shows tibia and fibula as well as the corresponding muscles, ligaments, vessels and fatty tissue Model: 1000354 Make: 3B Scientific, Germany</p> <p>Basic Patient Care Manikin The Patient Care Manikin is for of training of nurses in different Scenarios. The manikin is a dual sex adult (Interchangeable genitals.), which can be positioned like a real patient with natural movement of the arms, legs, and joints, even it can sit on bed like a patient. Made up of durable, water resistant material for long-term training purpose. The manikin will help to teach the students like Transferring skills: of a patient Position changing and alignment of a patient Bathing a patient Care and cleaning of</p>		



Sr. No.	NAME OF FIRM	DESCRIPTION OF PRODUCT	ADVERTISED MAXIMUM QUANTITY	APPROVED UNIT RATE (IN PKR)
		<p>eyes, ears and nose Bandaging Inhalation therapy Oxygen inhalation Use of ventilation bag (mouth to mouth and mouth to nose) Artificial respiration, oxygen treatment Care of tracheostomy Ostomy care (colostomy) Irrigation of eyes and ears Intramuscular injections (buttocks) Subcutaneous injections (upper arms and thighs) Subcutaneous infusions.</p> <p>Model: 1018817 Make: 3B Scientific, Germany</p> <p>IV/IM Injection Training Arm This IV. Injection Arm made of silicone allows realistic training to teach competence to medical staff. It is ideal for practicing the following: Correct puncture of peripheral veins for blood sampling. The following veins can be punctured: basilica vein, cephalic vein, median cubital vein, dorsal venous rete of hand. Intravenous injections. Positioning of a butterfly catheter. It includes: 1 injection arm with already mounted tubing system. 1 infusion bottle. 1 stand. 1 bottle of artificial blood concentrate. 1 plastic cup. 1 disposable syringe and 2 injection cannulas . 2 tubing systems as replacement parts. 1 container of talcum powder. Model: 1021418 Make: 3B Scientific, Germany</p> <p>Deluxe Dual Sex Human Torso Model with Opened Back, 26- 28 parts Dual-sex human torso with open back having following features: Thoracic vertebrae. Head. Brain. 2 lungs. 2-part heart. 2-part stomach. Liver with gall bladder. 3-part intestinal tract. Front half of kidney. 4-part male genital insert. 3-part female genital insert with fetus. Model: 1000200 Make: 3B Scientific, Germany</p> <p>Male & Female Catheterization model This catheterization trainer set, both male and female bladder catheterization procedures can be realistically demonstrated, practiced and assessed. Female and male catheterization with realistic resistance. 3 levels of adjustable narrowing of urethra. Soft and movable foreskin and labia. Liquid outflow if catheterization is successfully carried out</p>		



Sr. No.	NAME OF FIRM	DESCRIPTION OF PRODUCT	ADVERTISED MAXIMUM QUANTITY	APPROVED UNIT RATE (IN PKR)
		The situation can be checked through the transparent bladder. Stands securely on the table thanks to the non-slip feet. quick set-up and dismantling. Easy to clean, and the inserts can be completely removed. Model: 1020842 Make: 3B Scientific, Germany		

2. SHC&ME Department / DG Nursing / Secretary, PMF / Teaching / Tertiary Care Hospital in Punjab shall issue Advance Acceptance of Tender (AAT) and subsequent Contract for their relevant items. The contracts shall be signed strictly as per tender terms & conditions of tender.

**SECRETARY
SPECIALIZED HEALTHCARE &
MEDICAL EDUCATION DEPARTMENT**

NO & DATE EVEN

A copy is forwarded for information and necessary action to;

1. The Accountant General, Punjab, Lahore
2. All Head / Executive Directors / Medical Superintendent of Specialized Institutions / Tertiary Care Hospital in Punjab
3. Director General Nursing, Punjab
4. Secretary, Punjab Medical Faculty
5. All Principals, College of Nursing in Punjab
6. Incharge, ICT Cell, SHC&ME Department with the request to upload the same on SHC&ME Department's website
7. P.S to Secretary SHC&ME Department
8. P.S to Special Secretary (D&R), SHC&ME Department
9. P.S to Special Secretary (Ops), SHC&ME Department
10. The Successful Bidders/Supplying Firms


(ENGR. MALIK MAZHAR MAHMOOD) 14/6/24
ADDITIONAL SECRETARY (PROCUREMENT)